Welcome to STN International! Enter x:x

LOGINID: sssptau153cxa

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 2 "Ask CAS" for self-help around the clock

NEWS 3 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks (ROSPATENT) added to list of core patent offices covered

NEWS 4 FEB 28 PATDPAFULL - New display fields provide for legal status data from INPADOC

NEWS 5 FEB 28 BABS - Current-awareness alerts (SDIs) available

NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded

NEWS 7 MAR 02 GBFULL: New full-text patent database on STN

NEWS 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced

NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded

NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced

NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY

NEWS 12 MAR 22 PATDPASPC - New patent database available

NEWS 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags

NEWS 14 APR 04 EPFULL enhanced with additional patent information and new fields

NEWS 15 APR 04 EMBASE - Database reloaded and enhanced

NEWS 16 APR 18 New CAS Information Use Policies available online

NEWS 17 APR 25 Patent searching, including current-awareness alerts (SDIs), based on application date in CA/CAplus and USPATFULL/USPAT2 may be affected by a change in filing date for U.S. applications.

NEWS 18 APR 28 Improved searching of U.S. Patent Classifications for U.S. patent records in CA/CAplus

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS INTER General Internet Information

NEWS LOGIN Welcome Banner and News Items

NEWS PHONE Direct Dial and Telecommunication Network Access to STN

NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

=> file caplus uspatfull japio epfull medline biosis embase scisearch COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION 0.21

FULL ESTIMATED COST

0.21 FILE 'CAPLUS' ENTERED AT 15:12:28 ON 28 APR 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 15:12:28 ON 28 APR 2005 CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'JAPIO' ENTERED AT 15:12:28 ON 28 APR 2005 COPYRIGHT (C) 2005 Japanese Patent Office (JPO) - JAPIO

FILE 'EPFULL' ENTERED AT 15:12:28 ON 28 APR 2005 COPYRIGHT (C) 2005 European Patent Office / FIZ Karlsruhe

FILE 'MEDLINE' ENTERED AT 15:12:28 ON 28 APR 2005

FILE 'BIOSIS' ENTERED AT 15:12:28 ON 28 APR 2005 Copyright (c) 2005 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 15:12:28 ON 28 APR 2005 COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 15:12:28 ON 28 APR 2005 Copyright (c) 2005 The Thomson Corporation

=> s (drug delivery)

263321 (DRUG DELIVERY) L1

=> s l1 and inert and impermeabl?

1970 L1 AND INERT AND IMPERMEABL?

=> s 12 and reservoir

L3 1064 L2 AND RESERVOIR

=> s 13 and (nanocrystalline diamond)

5 L3 AND (NANOCRYSTALLINE DIAMOND)

=> d l4 1-5 ibib abs

PATENT INFORMATION:

ANSWER 1 OF 5 USPATFULL on STN .

ACCESSION NUMBER:

2005:53687 USPATFULL

TITLE:

INVENTOR(S):

Method of fabricating a microfluidic delivery system Greenberg, Robert J., Los Angeles, CA, UNITED STATES

Mech, Brian V., Sherman Oaks, CA, UNITED STATES

NUMBER KIND DATE -----US 2005045592 A1 20050303 US 2003-635633 A1 20030805 (10)

APPLICATION INFO.:

RELATED APPLN. INFO.: Division of Ser. No. US 2001-46458, filed on 26 Oct

2001, PENDING

NUMBER DATE

PRIORITY INFORMATION:

US 2001-272962P 20010228 (60)

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SECOND SIGHT, LLC, 12744 SAN FERNANDO ROAD, BUILDING

#3, SYLMAR, CA, 91342

NUMBER OF CLAIMS:

EXEMPLARY CLAIM: CLM-01-28

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 281

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

6

An implantable biocompatible microchip drug delivery substrate is coated with a thin film of ultra-nanocrystalline diamond; assuring that the device is biocompatible and impermeably sealed, to prevent the substrate from being dissolved by the living tissue and to protect the drugs from premature release or undesired reaction with the body fluids. The coating is selectively patterned by doping to create electrically conductive areas that can be used as an electrically activated release mechanism for drug delivery. The conformal ultra-

nanocrystalline diamond coating uniformly covers the device, providing relief from sharp edges and producing a strong, uniformly thick impermeable coating around sharp edges and on high aspect-ratio parts. The ultra-nanocrystalline diamond coating provides a conformal coating on the biocompatible device, which is of approximately uniform thickness around sharp corners and on high aspect-ratio parts. The conformal nature of the coating assures impermeability and strength despite the presence of difficult to coat shapes.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L4 ANSWER 2 OF 5 USPATFULL on STN

ACCESSION NUMBER: 2004:158686 USPATFULL

TITLE: Controlled release device and method using

electrothermal ablation

INVENTOR(S): Uhland, Scott A., Roslindale, MA, UNITED STATES

Polito, Benjamin F., Cambridge, MA, UNITED STATES Maloney, John M., Cambridge, MA, UNITED STATES

Sheppard, Norman F., JR., Bedford, MA, UNITED STATES

Herman, Stephen J., Andover, MA, UNITED STATES Yomtov, Barry Y., Marblehead, MA, UNITED STATES

	NUMBER	KIND	DATE	
· MOTTAM	US 2004121486	Δ1	20040624	

PATENT INFORMATION: US 2004121486 A1 20070027 APPLICATION INFO.: US 2003-641507 A1 20030815 (10)

NUMBER DATE

PRIORITY INFORMATION: US 2002-404196P 20020816 (60) US 2003-463865P 20030418 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SUTHERLAND ASBILL & BRENNAN LLP, 999 PEACHTREE STREET,

N.E., ATLANTA, GA, 30309

NUMBER OF CLAIMS: 50 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 7 Drawing Page(s)

LINE COUNT: 1598

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Devices and methods are provided for the controlled release or exposure of reservoir contents. The device includes a reservoir cap formed of an electrically conductive material, which prevents the reservoir contents from passing out from the device and prevents exposure of the reservoir contents to molecules outside of the device; an electrical input lead connected to said reservoir cap; and an electrical output lead connected to said reservoir cap, such that upon application of an electrical current through the

reservoir cap, via the input lead and output lead, the reservoir cap ruptures to release or expose the reservoir contents. The reservoir contents can comprise a release system containing drug molecules for release or can comprise a secondary device, such as a sensor. In one embodiment, the controlled release system is incorporated into an implantable drug delivery device.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 3 OF 5 USPATFULL on STN

2004:139738 USPATFULL ACCESSION NUMBER:

TITLE: Micro-reservoir osmotic release systems and

microtube array device

Coppeta, Jonathan R., Windham, NH, UNITED STATES Santini, John T., JR., North Chelmsford, MA, UNITED

STATES

Uhland, Scott A., Roslindale, MA, UNITED STATES

NUMBER KIND DATE

US 2004106914 A1 20040603 US 2003-668573 A1 20030923 (10) PATENT INFORMATION:

APPLICATION INFO.:

NUMBER DATE -----

PRIORITY INFORMATION: US 2002-412746P 20020923 (60)

DOCUMENT TYPE: Utility FILE SEGMENT:

APPLICATION
SUTHERLAND ASBILL & BRENNAN LLP, 999 PEACHTREE STREET, LEGAL REPRESENTATIVE:

N.E., ATLANTA, GA, 30309

NUMBER OF CLAIMS: 38 EXEMPLARY CLAIM: 1

INVENTOR(S):

NUMBER OF DRAWINGS: 11 Drawing Page(s)

LINE COUNT: 1757

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Devices and methods are provided for controlled release of chemical molecules, such as drugs. One device comprises a plurality of reservoirs; a rupturable covering, such as a thin metal film, enclosing a first end of each reservoir; a release formulation in each reservoir comprising chemical molecules for release; an expanding material layer in each reservoir; and a semi-permeable membrane enclosing a second end of each reservoir distal the release formulation, the semi-permeable membrane being operable to permit selected molecules (e.g., water) from outside the reservoir to diffuse to the expanding material layer to expand the expanding material layer and displace the release formulation in an amount effective rupture the rupturable membrane and discharge the release formulation. The device may further comprises a reservoir Cap covering semi-permeable membrane and means for selectively disintegrating the reservoir cap to initiate diffusion of fluid molecules from outside the reservoir and through the semi-permeable membrane.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 4 OF 5 USPATFULL on STN

ACCESSION NUMBER: 2003:117620 USPATFULL

TITLE: Coated microfluidic delivery system

INVENTOR(S): Greenberg, Robert J., Los Angeles, CA, UNITED STATES

Mech, Brian V., Stevenson Ranch, CA, UNITED STATES

NUMBER KIND DATE PATENT INFORMATION: US 2003080085 A1 US 2002-96183 A1 20030501

APPLICATION INFO.: 20020311 (10)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2001-46458, filed

on 26 Oct 2001, PENDING

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SECOND SIGHT, LLC, P.O. BOX 905, SANTA CLARA, CA, 91380

NUMBER OF CLAIMS: 45 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 6 Drawing Page(s)

LINE COUNT: 721

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A microfluidic delivery system substrate is coated with ultra-

nanocrystalline diamond (UNCD) or with a thin ceramic

film, such as alumina or zirconia, that is applied by ion-beam assisted deposition; assuring that the device is impermeably sealed, to prevent the substrate from being dissolved by hostile environments and to protect the molecules from premature release or undesired reaction with hostile environments. The UNCD coating may be selectively patterned by doping to create electrically conductive areas that can be used as an electrically activated release mechanism for drug

delivery. The UNCD coating provides a conformal coating, of approximately uniform thickness, around sharp corners and on high aspect-ratio parts, assuring impermeability and strength despite the need to coat difficult shapes. The microfluidic delivery system is suitable for use as an iontophoresis device, for transport of molecule, having a substrate, a reservoir in the substrate for containing the molecules.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 5 OF 5 USPATFULL on STN

ACCESSION NUMBER: 2002:221041 USPATFULL

TITLE: Implantable microfluidic delivery system using ultra-

nanocrystalline diamond coating

INVENTOR(S): Greenberg, Robert J., Los Angeles, CA, UNITED STATES

Mech, Brian V., Sherman Oaks, CA, UNITED STATES

NUMBER KIND DATE ______ US 2002119176 A1 20020829 US 6858220 B2 20050222 PATENT INFORMATION: 20050222 US 2001-46458 A1 APPLICATION INFO.: 20011026 (10)

NUMBER DATE

PRIORITY INFORMATION: US 2001-272962P 20010228 (60) DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SECOND SIGHT, LLC, P.O. BOX 905, SANTA CLARA, CA, 91380

NUMBER OF CLAIMS: 33 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 1 Drawing Page(s)

LINE COUNT: 355

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AΒ An implantable biocompatible microchip drug delivery substrate is coated with a thin film of ultra-nanocrystalline diamond; assuring that the device is biocompatible and impermeably sealed, to prevent the substrate from being dissolved by the living tissue and to protect the drugs from premature release or undesired reaction with the body fluids. The coating is selectively patterned by doping to create electrically conductive areas that can be used as an electrically activated release mechanism for drug delivery. The conformal ultrananocrystalline diamond coating uniformly covers the device, providing relief from sharp edges and producing a strong, uniformly thick impermeable coating around sharp edges and on high aspect-ratio parts. The ultra-nanocrystalline diamond coating provides a conformal coating on the biocompatible device, which is of approximately uniform thickness around sharp corners and on high aspect-ratio parts. The conformal nature of the coating assures impermeability and strength despite the presence of difficult to coat shapes.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

=>

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 125.23 125.44

STN INTERNATIONAL LOGOFF AT 16:00:07 ON 28 APR 2005